

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/694,684	10/28/2003	Ping-Yi Hsin	TS02-1193	3911	
54657	7590 11/28/2005		EXAM	INER	
DUANE MORRIS LLP			GARCIA, JO	GARCIA, JOANNIE A	
IP DEPARTMENT (TSMC) 30 SOUTH 17TH STREET			ART UNIT PAPER NUMBER		
PHILADELPHIA, PA 19103-4196			2823		
		DATE MAILED: 11/28/2005			

Please find below and/or attached an Office communication concerning this application or proceeding.

1	1

	Application No.	Applicant(s)				
	10/694,684	HSIN ET AL.				
Office Action Summary	Examiner	Art Unit				
	Joannie A. García	2823				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
 Responsive to communication(s) filed on <u>29 At</u> This action is FINAL. 2b) This Since this application is in condition for allowar closed in accordance with the practice under E 	action is non-final. nce except for formal matters, pro					
Disposition of Claims						
4) Claim(s) 1-21 and 31 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) 12-21 is/are allowed. 6) Claim(s) 1-11 and 31 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers -						
9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s)						
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 5. Patent and Trademark Office	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:					

Claims 1-11 are objected to because of the following informalities:

Claim 1 recites the limitation "one dual damascene opening that laterally contacts" in line 9. There is insufficient antecedent basis for this limitation in the claim.

Claim 1 recites the limitation "capacitor trench" in line 10. There is insufficient antecedent basis for this limitation in the claim.

In claim 1, line 12m "openings" before "and the capacitance trench", should be replaced with --opening--.

Appropriate correction is required.

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 1, 2, 7, 10, 11, and 31, are rejected under 35 U.S.C. 102(e) as being anticipated by Kim (U.S. Patent 6,767,788).

The rejection is maintained as stated in the Office Action mailed 06-01-05, and as stated below.

Applicant argues that Kim does not teach forming at least one adjacent dual damascene opening that provides direct contact to the bottom capacitor electrode. However, the claims are not so limited. Furthermore, Kim discloses forming at least one dual damascene opening adjacent an associated one of the bottom electrodes, as shown in Figures 1D-1F.

Application/Control Number: 10/694,684

Art Unit: 2823

Claims 3-6, 8, and 9, are rejected under 35 U.S.C. 103(a) as being unpatentable over Kim as applied to claims 1, 2, 7, 10, 11, and 31, above, and further in view of Wang et al (U.S. Patent 6,589,862), and the following comments.

Page 3

The rejection is maintained as stated in the Office Action mailed 06-01-05, and as stated above.

Claims 12-21 are allowed.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joannie García whose telephone number is (571) 272-1861. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Smith, can be reached on (571) 272-1907. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

George Fourson Primary Examiner Art Unit 2823

JAG

November 27, 2005

GFourson

Primary Examiner